



Schweizerische Eidgenossenschaft  
Confédération suisse  
Confederazione Svizzera  
Confederaziun svizra

Swiss Confederation

Federal Department of Finance FDF

**Federal Office for Customs and Border Security FOCBS**  
Foundations Directorate

---

# **Supplement 7 to Annex 1 to the EETS- and NETS-Provider-Ordinance FOCBS**

## **Trial Operation Specification - Level 3**

**EUROPEAN ELECTRONIC TOLL SERVICE FOR THE LSV**

**VERSION 3.0**

---

## CONTENTS

1	Overview .....	3
1.1	Purpose of the document.....	3
1.2	List of changes .....	3
1.3	References .....	3
1.4	Terms and abbreviations .....	3
2	Overview of trial operation.....	4
2.1	Description .....	4
2.2	Objective .....	4
2.3	Test environment.....	4
3	Testing .....	5
3.1	Test plan.....	5
3.2	Logging of test cases.....	5
3.2.1	General information.....	5
3.2.2	Integration and business processes .....	6
3.2.3	Driving scenarios .....	6
3.3	Test vehicles.....	7
3.4	FOCBS participation.....	7
4	Test cases – integration and business processes .....	8
4.1	Introduction.....	8
4.2	TI01 – HTTPS connection establishment.....	8
4.3	TB01 – Transmission white list .....	9
4.4	TB02 – EETS journey declaration and assessment .....	10
4.5	TB03 – Payment request .....	11
4.6	TB04 – Refund .....	12
5	Test cases – driving scenarios .....	13
5.1	Overview of test cases TF01 to TF08 .....	13
5.2	TF01 – North/south axis A2 .....	14
5.3	TF02 – North/south axis A1/A13.....	15
5.4	TF03 – East/west axis .....	17
5.5	TF04 – North/east axis .....	19
5.6	TF05 – North/west axis.....	20
5.7	TF06 – North/south axis A2/A4 two-day trip.....	22
5.8	TF07 – West/south axis A9 (journey with different vehicle parameters) .....	25
5.9	TF08 – A5 EETS journey with a three-day stay .....	27
5.10	TF09 – Several EETS journeys per day with the same vehicle/EETS OBE .....	29

## Trial Operation Specification - Level 3

### 1 Overview

#### 1.1 Purpose of the document

This document provides details concerning the trial operation, which is level 3 in the EETS provider approval procedure for the LSVÄ toll domain.

The document defines the integration tests, business process tests and the EETS journeys (so-called reference routes) to be carried out by the EETS provider during the trial operation.

#### 1.2 List of changes

Version	Date	Section	Change
2.0	01.03.2020		First published version
2.1	12.06.2020	2.3 3.2.3 3.4 4.2 5.2-5.10 5.10	At least two different samples per OBE type Additionally EETS OBE-ID Specification of the driving behaviour adaptation of TI01 with CSR by the EETS Provider Insertion of expected results TF09/Route 1: drive through Galgenbuck tunnel
2.2	21.08.2020	5.2-5.10 5.10	Expected result (now from border to border) Revision of description Entry, exit and route
2.3	01.01.2022	various	Renaming of the Federal Customs Administration (FCA) to the Federal Office for Customs and Border Security (FOCBS)
3.0	01.09.2024	various	Changes to the technical and operational requirements in line with the legal basis of the LSVÄ III system

#### 1.3 References

Document
[1] Annex 1 to the EETS- and NETS-Provider-Ordinance FOCBS: Technical and Operational Requirements for EETS Provider
[2] Supplement 3 to annex 1: EETS Provider Interface

#### 1.4 Terms and abbreviations

See Annex 1.

## **2 Overview of trial operation**

### **2.1 Description**

Before the actual trial operation begins, the EETS provider first has to carry out the integration tests and the basic business process test cases (see chapter 4).

During the actual trial operation, the EETS provider has to make the EETS journeys defined by the FOCBS. These EETS journeys include a distance check and/or an operating scenario check. In all test cases, the assessed distance is compared with the target values of the FOCBS.

During the trial operation, the FOCBS is the EETS provider's customer, i.e. the EETS user who receives the assessment decision.

The trial operation includes no LSVA collection and thus no financial transactions between the FOCBS (in the roles of toll charger and EETS user) and the EETS provider.

### **2.2 Objective**

The aim of the trial operation is to check that the FOCBS's requirements are properly met by the entire process chain of the EETS provider's system. Both the functionality and the operability of the system have to be proven in real time.

- The integration tests ensure that the FOCBS's system communicates as planned with the EETS provider's system (central system and EETS OBE).
- The aim of the operating scenario check is to prove that the required business processes are running correctly.
- The aim of the distance check is to verify the quality of the position data transmitted to calculate the distance.

### **2.3 Test environment**

FOCBS:

- Test instance of the operational EETS back office system.

EETS provider:

- Test instance of the operational back office system or operational back office system.
- Production models of all EETS OBEs registered for approval.
- Of the OBU types registered for approval, at least two different samples must be used to cover the different driving scenarios.

Note:

- During the trial operation, the back office interface must be fully implemented and used in accordance with Supplement 3.

## **Trial Operation Specification - Level 3**

### **3 Testing**

#### **3.1 Test plan**

The EETS provider shall prepare a test plan for the trial operation and submit it to the FOCBS for approval. The test plan shall first provide for the execution of the "Test cases - integration and business processes" in accordance with chapter 4, as their successful execution is a prerequisite for the "Test cases - driving scenarios" in chapter 5.

For each EETS OBE registered for approval, the EETS provider shall include in the test plan all EETS OBE-specific tests from chapter 4 and all driving scenarios from chapter 5. The EETS provider is responsible for the order in which all driving scenarios from chapter 5 are performed.

The test plan shall contain at least the following for the tests in chapter 4:

- Planned execution date
- Planned date of crossings at border customs offices (if foreseen in the test case)
- Test vehicles used (if required in the test case): vehicle make and model, registration number and country code. In addition, photographs of the interior with the mounted OBE and of the outside with the position of the OBE on the windscreen are to be supplied for the test vehicles.

The test plan shall contain at least the following for the driving scenarios in chapter 5:

- Planned execution date for each driving scenario. For driving scenarios lasting several days, date of start and finish.
- Test vehicle per driving scenario: vehicle make and model, registration number and country code.

To avoid having to constantly adapt the test plan with regard to the execution date, reserve times should be provided where possible for repeat tests.

The test EETS journeys should be completed within a month. If the EETS provider is planning a longer execution period, this shall be explained and justified in the test plan.

The details of the test vehicles used may also be provided immediately before the start of the trial operation.

#### **3.2 Logging of test cases**

##### **3.2.1 General information**

The following general information is required in each test report:

- Information on the EETS provider, including company name and address.
- Information on the person responsible for conducting the test and preparing the test report.
- Information on those conducting and participating in the test (from the EETS provider and the FOCBS).
- Unique configuration or version designation of all of the EETS provider's subsystems involved (central system and EETS OBE used).

### **Trial Operation Specification - Level 3**

- Unique reference number for the test report.

#### **3.2.2 Integration and business processes**

The EETS provider shall prepare a test report for the "Test cases - integration and business processes" in chapter 4. The test report shall document the individual tests in a comprehensible manner for the FOCBS. In addition to the general information per test case, the test report shall contain at least the following:

- Test case ID
- Time the test was carried out  
In the case of tests with crossings at RSE/border customs offices, these crossing times shall be documented
- List of the EETS OBE types used, provided several EETS OBE types are registered for approval and this is relevant for the test case
- Test results for the individual test steps and the test case
- Date and signature(s)

#### **3.2.3 Driving scenarios**

The EETS provider shall prepare a test report for each driving scenario in chapter 5 and for each EETS OBE type. The EETS provider shall document the execution of the driving scenarios in a comprehensible manner for the FOCBS. In addition to the general information per driving scenario, the test report shall contain at least the following:

- Test case ID
- EETS OBE type
- EETS OBE-ID
- Vehicle parameters configured/personalised in the EETS OBE (weight, Euro class, registration number, incl. country code, etc.)
- Start and finish of the EETS journey (time and date)
- Test vehicle: vehicle make and model, registration number and country code
- Place where the EETS OBE is mounted on the vehicle (documented by a photograph)
- Stops at service areas, indicating the location (to estimate the possible distance deviation caused by this)
- Result of the review of the assessed distance
- Unforeseen events, such as mandatory alternative routes due to traffic incidents (e.g. accidents)
- Deviations from the test plan
- Date and signature(s)

### **3.3 Test vehicles**

The EETS provider may not use any vehicles subject to the LSVA for the test EETS journeys. In order to achieve a realistic recording of the position data, the vehicle used shall be steered similar to a lorry in terms of driving speed and lane selection.

In order to generate the same GNSS track as vehicles subject to the LSVA, these vehicles which are not subject to the LSVA actually have to use the lorry lanes at the border customs offices even though they are effectively blocked for them. Consequently, they shall be clearly marked with "LSVA EETS test vehicle". The test vehicles used, vehicle make and model, registration number and country code shall therefore be registered with the FOCBS too before the test EETS journeys (see test plan).

### **3.4 FOCBS participation**

The FOCBS reserves the right to participate in the execution of the test cases and in the driving scenarios/EETS journeys of the EETS provider.

## 4 Test cases – integration and business processes

### 4.1 Introduction

The test cases summarised in this chapter serve both to integrate (test cases Tlxx) the systems of the FOCBS and EETS provider and to test the basic business processes (test cases TBxx). The sequence of the tests in this chapter follows the logical sequence for integrating the two systems and exchanging data elements required in subsequent tests. If the approval procedure is repeated, the FOCBS can specify a different sequence with a reduced number of tests.

The "test border customs offices", i.e. the border crossing to be used for the test cases in chapter 4 is laid down by the FOCBS.

### 4.2 TI01 – HTTPS connection establishment

Test case ID – Test title	TI01 – HTTPS connection establishment	
Test objective	Successful exchange and import of all required certificates. Verification of a successful HTTPS connection between the FOCBS and the EETS providers.	
Description	The FOCBS and the EETS provider exchange the necessary certificates and import them into the corresponding systems. The HTTPS connection is established between the FOCBS and the EETS provider (the FOCBS transmits its HTTPS server certificate). The connection status is verified by the EETS provider by calling up the ListMessages (GET) function.	
Prerequisites	The FOCBS has configured the EETS provider ID defined via the EN ISO 14816 register in its system.	
Test criteria/ expected result	All certificates were exchanged and imported. The HTTPS connection was established and the EETS provider received the http code 200 (Success) with an empty message list in response to the ListMessage call.	
Input data	FOCBS - mTLS server certificate - XML signature certificate EETS Provider - XML signature public key or certificate - CSR for his mTLS client certificate	
Trigger	The EETS provider requests the start of the trial operation.	
Comments	It was already checked at level 2 of the approval procedure whether the signature algorithms were correct. The next test case will check whether the imported XML signature certificates are correct. The execution of this test case may take several days due delays in the signing process.	
Test process		
Step	Description/action	Expected result
10	The EETS provider requests the start of the trial operation.	The FOCBS starts the trial operation for the EETS provider.
20	The FOCBS confirms the start of the trial operation to the EETS provider.	



### Trial Operation Specification - Level 3

Test case ID – Test title		TI01 – HTTPS connection establishment
30	The EETS provider sends its XML signature certificate and a certificate signing request (for his mTLS client certificate) to the FOCBS.	The FOCBS receives the both files
40	The FOCBS verifies and signs the CSR and returns the certificate to the EETS provider.	
50	The provider verifies that the given certificate matches his private key.	The provider is in possession of a valid certificate signed by the FOCBS for his private key.
60	The FOCBS sends its XML signature certificate to the EETS provider or the EETS provider obtains the FOCBS's XML signature certificate from the FOCBS's website.	
70	The provider confirms the successful import of both certificates to the FOCBS.	
80	The FOCBS confirms the successful import of the certificates for the EETS provider.	
90	The EETS provider tests the connection to the FOCBS's system with a ListMessage call.	The ListMessage call (see Supplement 3 section 3.6.2.1) is answered with an HTTP code 200 (Success) and an empty message list from the FOCBS's system.
100	The EETS provider gives the FOCBS confirmation of the successful connection test.	

#### 4.3 TB01 – Transmission white list

Test case ID – Test title	TB01 – Transmission white list
Test objective	Verification of the transmission of the white list.
Description	The EETS provider transmits a white list with at least all vehicle registration numbers of the vehicles used for the trial operation in the test cases TB01 to TB04 and TF01 to TF09. For all these vehicles the contract for the LSVVA toll domain shall be activated in the system of the EETS provider as a trigger to generate the required white list.
Prerequisites	Test case TI01 – HTTPS connection establishment successfully executed.
Test criteria/ expected result	Correct InfoExchanges in terms of content were transmitted. The exchanged InfoExchanges are signed correctly and the signatures could be verified.
Input data	white list
Trigger	EETS provider transmits a white list.
Comments	The EETS provider may submit an updated white list according to the requirements defined in Supplement 3 section 2.8.1 in case of changed vehicles during the trial operation.

### Trial Operation Specification - Level 3

Test process		
Step	Description/action	Expected result
10	The EETS provider transmits the white list with the Vehicle registration numbers.	The FOCBS receives an ExceptionListADU in accordance with Supplement 3 section 2.8.2.
20	The FOCBS confirms receipt of the white list.	The EETS provider receives an AckADU according to Supplement 3 section 2.9.1 with apduAckCode = 2 (apduOK).

#### 4.4 TB02 – EETS journey declaration and assessment

Test case ID – Test title	TB02 – EETS journey declaration and assessment	
Test objective	Verification of the EETS journey declaration for a foreign vehicle, delivery of the holder data and receipt of the assessment by the EETS provider.	
Description	<p>The EETS provider makes any one-day EETS journey of around 20km with a test vehicle in Switzerland. During this EETS journey, the test border customs offices permitted for vehicles subject to the LSVA shall be used for entering and leaving Switzerland (LSVA toll domain).</p> <p>The EETS provider supplies the EETS journey declaration and, on request, the holder data to the FOCBS. The FOCBS then prepares the assessment and the electronic assessment decision, and transmits them to the EETS provider.</p>	
Prerequisites	<p>Test case TB01 – Transmission white list successfully executed.</p> <p>The data for the test EETS OBE, the test vehicle and the holder data is available in the EETS provider's system.</p>	
Test criteria/ expected result	<p>The EETS journey declaration was transmitted.</p> <p>The holder data was transmitted.</p> <p>The assessment was transmitted to the EETS provider.</p> <p>All communications between the FOCBS and the EETS provider were carried out without errors.</p>	
Input data	-	
Trigger	The EETS provider transmits the EETS journey declaration.	
Comments	The crossing with the test vehicle not subject to the LSVA must be declared for the test border customs office.	
Test process		
Step	Description/action	Expected result
10	The EETS provider carries out an EETS journey of approximately 20km with a test vehicle.	EETS journey data is available.
20	The EETS provider transmits the EETS journey declaration.	The FOCBS receives a TollDeclarationADU in accordance with Supplement 3 section 2.3.
30	The FOCBS confirms receipt of the EETS journey declaration.	The EETS provider receives an AckADU according to Supplement 3 section 2.9.1 with apduAckCode = 2 (apduOK).
40	The FOCBS transmits a holder data request.	The EETS provider receives a RequestADU according to Supplement 3 section 2.4.2.
50	The EETS provider transmits the holder data.	The FOCBS receives a complete ProvideUserDetailsADU promptly in accordance with Supplement 3 section 2.4.3.

### Trial Operation Specification - Level 3

60	The FOCBS confirms receipt of the holder data.	The EETS provider receives an AckADU according to Supplement 3 section 2.9.1 with apduAckCode = 2 (apduOK).
70	The FOCBS transmits the assessment with the electronic assessment decision.	The EETS provider receives a BillingDetailsADU according to Supplement 3 section 2.5.
80	The EETS provider confirms receipt of the assessment.	The FOCBS receives an AckADU according to Supplement 3 section 2.9.1 with apduAckCode = 2 (apduOK).

#### 4.5 TB03 – Payment request

Test case ID – Test title	TB03 – Payment request	
Test objective	Verification of receipt of the payment request by the EETS provider.	
Description	The FOCBS transmits the payment request for the EETS journey declared and assessed in TB02 to the EETS provider.	
Prerequisites	Test case TB02 – EETS journey declaration and assessment successfully executed.	
Test criteria/ expected result	The payment request (PaymentClaimADU) was transmitted to the EETS provider. All communications between the FOCBS and the EETS provider were carried out without errors.	
Input data	Assessment from test case TB02 – EETS journey declaration and assessment.	
Trigger	The FOCBS transmits a payment request to the EETS provider.	
Comments	The payment request is transmitted to the EETS provider every calendar day from the start of the trial operation tests. For test days without EETS journeys, an empty payment request (without billingDetailsList and paymentFeeAmount = 0) is transmitted. This is portrayed in steps 10 and 20 of the test process.	
Test process		
Step	Description/action	Expected result
10	The FOCBS transmits an empty payment request.	The EETS provider receives a PaymentClaimADU according to Supplement 3 section 2.7 without billingDetailsList and paymentFeeAmount = 0.
20	The EETS provider confirms receipt of the payment request.	The EETS provider receives an AckADU according to Supplement 3 section 2.9.1 with apduAckCode = 2 (apduOK).
30	The FOCBS transmits the payment request for the assessment from TB02.	The EETS provider receives a PaymentClaimADU according to [3] section 2.7 with billingDetailsList and paymentFeeAmount > 0.
40	The EETS provider confirms receipt of the payment request.	The EETS provider receives an AckADU according to Supplement 3 section 2.9.1 with apduAckCode = 2 (apduOK).

## Trial Operation Specification - Level 3

### 4.6 TB04 – Refund

Test case ID – Test title	TB04 – Refund	
Test objective	Verification of the receipt of a refund by the EETS provider.	
Description	<p>The EETS journey declaration and assessment from TB02 – EETS journey declaration and assessment are corrected manually by the FOCBS, resulting in a lower assessment than originally calculated.</p> <p>This means that a new electronic assessment decision (BillingDetailsADU) with a negative paymentFeeAmount (refund amount) is transmitted to the EETS provider.</p> <p>The subsequent payment request sent to the EETS provider, containing only the new "Refund" BillingDetailsADU, also has a negative value for paymentFeeAmount.</p>	
Prerequisites	Test case TB03 – Payment request successfully executed.	
Test criteria/ expected result	<p>The assessment (BillingDetailsADU) was transmitted to the EETS provider.</p> <p>The payment request (PaymentClaimADU) was transmitted to the EETS provider.</p> <p>All communications between the FOCBS and the EETS provider were carried out without errors.</p>	
Input data	The EETS journey declaration and assessment from TB02 – EETS journey declaration and assessment.	
Trigger	The FOCBS corrects the assessment and transmits new data.	
Comments		
Test process		
Step	Description/action	Expected result
10	The FOCBS manually corrects the assessment from TB02 – EETS journey declaration and assessment.	The data for the refund is in the FOCBS's system.
20	The FOCBS transmits the refund with the corresponding corrected electronic assessment decision.	The EETS provider receives a BillingDetailsADU according to Supplement 3 section 2.6 with relatedBillingDetails from TB02 and billingDetailsAmount < 0.
30	The EETS provider confirms receipt of the refund.	The FOCBS receives an AckADU according to Supplement 3 section 2.9.1 with apduAckCode = 2 (apduOK).
40	The FOCBS transmits the payment request for the refund.	The EETS provider receives a PaymentClaimADU according to [3] section 2.7 with billingDetailsList and paymentFeeAmount < 0.
50	The EETS provider confirms receipt of the refund.	The EETS provider receives an AckADU according to Supplement 3 section 2.9.1 with apduAckCode = 2 (apduOK).


## 5 Test cases – driving scenarios

The EETS provider shall execute the individual test case driving scenarios without deviation precisely according to their specifications in sections 5.2 to 5.10.

### 5.1 Overview of test cases TF01 to TF08

The test routes have been designed in such a way that they can be carried out in a linked sequence. The linked and recommended sequence for the trips is:

TF08 → TF07 → TF02 → TF05 → TF03 → TF04 → TF01 → TF06  
 (→ TF09 not shown)



Key:


Abbreviation	Meaning
TF01 – TF09	Test driving scenario / test case 01 – 09
A	Basel-Weil Autobahn border crossing/customs office
B	Thayngen border crossing/customs office
C	St. Margrethen-Strasse border crossing/customs office
D	Chiasso Brogeda Merci border crossing/customs office
E	Gondo border crossing/customs office
F	Bardonnex border crossing/customs office
G	Vallorbe-Route border crossing/customs office

### Trial Operation Specification - Level 3

The directions of travel shall be adhered to for two reasons. Some of the stationary enforcement stations are designed for only one direction of travel. Furthermore, a different direction of travel on the same test route can lead to different mileage data.

#### 5.2 TF01 – North/south axis A2

Test case ID	TF01
Description	North/south axis A2
Test route	Entry: Basel-Weil Autobahn border crossing/customs office (47.598340, 7.601418) Route: Belchen-Lucerne-Gotthard-Lugano Exit: Chiasso Brogeda Merci border crossing/customs office (45.837291, 9.035854)
Distance check	<ul style="list-style-type: none"> <li>Route cover transit trip A2</li> <li>Route with heavy foreign vehicle traffic</li> <li>Use of two long tunnels (Selisberg and Gotthard)</li> <li>Destination/origin traffic Northwestern Switzerland, Central Switzerland and Ticino</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>One EETS journey on one day</li> </ul>
Vehicle configuration	40 tonnes, Euro 5, articulated lorry
Passage enforcement stations	Belchen Süd (BELS), St. Gotthard Süd (GOTS)
Expected result	Distance: 288.9 km (+/- 4% = 277.33 km,..., 300.45 km)
Detailed description test route	If no instructions are given, the route is followed. <ul style="list-style-type: none"> <li>Entry into Switzerland from Germany on Bundesautobahn 5 (E35)</li> <li>After the Basel/Weil border crossing/customs office, take the A2</li> <li>At the next junction, turn right towards Gotthard/ Bern/Luzern/Arisdorf (A2/E25/E35)</li> <li>At the next junction, turn left towards Gotthard/Luzern/Zürich/Rothrist (A1/A2/E35)</li> <li>At the next junction, turn right towards Gotthard//Luzern/Reiden (A2/E35)</li> <li>Exit Switzerland via the Chiasso Brogeda Merci border crossing/customs office</li> </ul>
Comments	None



### 5.3 TF02 – North/south axis A1/A13


Test case ID	TF02
Description	North/south axis A4/A13
Test route	Entry: Chiasso Brodega Merci border crossing/customs office (45.837491, 9.036350) Route: Lugano-Chur-St. Gallen Exit: Thayngen border crossing/customs office (47.740425, 8.718055)
Distance check	<ul style="list-style-type: none"> <li>Route cover transit trip A13</li> <li>Alternative route to the Gotthard tunnel via the San Bernardino</li> <li>Destination/origin traffic Eastern Switzerland</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>One EETS journey on one day</li> </ul>
Vehicle configuration	32 tonnes, Euro 6, articulated lorry

### Trial Operation Specification - Level 3

Test case ID	TF02
Passage enforcement stations	Bellinzona Nord (BESN), San Bernardino Nord (BERN), Bad Ragaz Nord (RSGN), Goldach West (GOLW)
Expected result	Distance: 359.34 km (+/- 4% = 344.97 km,..., 373.71 km)
Detailed description test route	<p>If no instructions are given, the route is followed.</p> <ul style="list-style-type: none"> <li>• Entry into Switzerland from Italy on the A9 (E35) motorway</li> <li>• After the Chiasso Brodega Merci border crossing/customs office, take the A2</li> <li>• At the next junction, turn right towards Bellinzona Nord/San Bernardino/Chur (E43/A13)</li> <li>• At the next junction, turn right towards St. Gallen/St. Margarethen/München/Feldkriech/Vaduz (E43/A13)</li> <li>• During the course of the route, the A13 motorway becomes the A1</li> <li>• At the next junction, turn right towards Schaffhausen/Henggart (E41/A4)</li> <li>• At the next junction, turn left towards Stuttgart/Singen/Thayngen/SH-Herblingen (E41/E54)</li> <li>• Exit Switzerland via the Thayngen border crossing/customs office</li> </ul>
Comments	None



### Trial Operation Specification - Level 3




#### 5.4 TF03 – East/west axis

Test case ID	TF03
Description	East/west axis
Test route	Entry: Bardonnex border crossing Route: Lausanne-Yverdon-Bern-Aarau-Zurich-St. Gallen Exit: St. Margrethen-Strasse border crossing
Distance check	<ul style="list-style-type: none"> <li>Route cover transit trip A1</li> <li>Destination/origin traffic Zurich, Espace Mittelland and Lake Geneva region</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>One EETS journey on one day</li> </ul>
Vehicle configuration	28 tons, Euro 4, lorry
Passage enforcement stations	St. Prex Est (PREO), Épendes Est (EPEO), Grauholz Ost (GRAO), Oberbuchsiten Ost (OBOS), Effretikon Nord (EFFN)
Expected result	Distance: 391.25 km (+/- 4% = 375.60 km, ..., 406.90 km)
Detailed description test route	If no instructions are given, the route is followed. <ul style="list-style-type: none"> <li>Entry into Switzerland from France on the A41 motorway</li> </ul>

### Trial Operation Specification - Level 3

Test case ID	TF03
	<ul style="list-style-type: none"> <li>• After the Bardonnex border crossing drive by the customs office (46.149474, 6.096396), then take the A1</li> <li>• At the next junction, turn right towards Bern (A1)</li> <li>• At the next junction, turn left towards Zürich/Basel/Interlaken (A1)</li> <li>• At the next junction, turn left towards Zürich/Basel/Biel (E25/E27/A1)</li> <li>• At the next junction, turn left towards Zürich/Basel/Kilchberg (A1/E35)</li> <li>• At the next junction, turn left towards Zürich/Gothard/Luzern/Rothrist (A1)</li> <li>• At the next junction, turn left towards Zürich/Aarau (A1)</li> <li>• At the next junction, turn left towards Zürich/Basel/Biel (E25/E27/A1)</li> <li>• At the next junction, turn left towards Zürich/Basel/Kirchberg (A1/E25)</li> <li>• At the next junction, turn left towards Zürich/Gothard/Luzern/Rothrist (A1)</li> <li>• At the next junction, turn left towards Zürich/Aarau (A1)</li> <li>• At the next junction, turn left towards Zürich/Wettingen-Ost (A1/A3/E60)</li> <li>• At the next junction, turn right towards Flughafen/Nordring-Zürich (A1/A4/E41/E60)</li> <li>• At the next junction, turn left towards St. Gallen/Schaffhausen (A1)</li> <li>• Leave the motorway at exit 96 St. Margrthen in the direction of Bregenz/München/St. Margrethen.</li> <li>• At the roundabout, take the first exit onto Neudorfstrasse.</li> <li>• Turn right onto Grenzstrasse at the next junction</li> <li>• drive by the customs office (47.455374, 9.639173)</li> <li>• Exit Switzerland via the St. Margrethen-Strasse border crossing on the bridge over the old Rhine river/</li> </ul>
Comments	None

## Trial Operation Specification - Level 3



### 5.5 TF04 – North/east axis

Test case ID	TF04
Description	North/east axis
Test route	Entry: Route: Exit:
Distance check	<ul style="list-style-type: none"> <li>Route cover transit trip A13</li> <li>Alternative route to the Gotthard tunnel via the San Bernardino</li> <li>Destination/origin traffic Eastern Switzerland</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>One EETS journey on one day</li> </ul>
Vehicle configuration	40 tonnes, Euro 5 (EEV), articulated lorry
Passage enforcement stations	Bözberg West (BOZW)
Expected result	Distance: 233.41 km (+/- 4% = 224.07 km, ..., 242.75 km)
Detailed description test route	If no instructions are given, the route is followed. <ul style="list-style-type: none"> <li>Entry into Switzerland from Austria on Landstrasse 202</li> <li>Turn left onto Neudorfstrasse at the next junction</li> <li>At the roundabout, take the second exit onto the A13 motorway</li> <li>At the next junction, turn right towards Chur (E43/A13)</li> <li>At the next junction, turn right towards Zürich/Sargans/Mels (A3)</li> </ul>

### Trial Operation Specification - Level 3

Test case ID	TF04
	<ul style="list-style-type: none"> <li>At the next junction, turn right towards Basel/Westring-Zürich/Flughafen/Bern/St. Gallen (A3)</li> <li>At the next junction, turn right towards Bern/Basel/St. Gallen/Westring-Zürich (A3)</li> <li>At the next junction, turn left towards Bern/Basel (E60/A1/A3)</li> <li>At the next junction, turn right towards Deutschland/France/Basel/Brugg (E60/A3)</li> <li>At the next junction, turn left towards Karlsruhe/Deutschland (A2/E35)</li> <li>Exit Switzerland via the Basel/Weil motorway border crossing/customs office</li> </ul>
Comments	None




### 5.6 TF05 – North/west axis

Test case ID	TF05
Description	North/west axis
Test route	Entry: Thayngen border crossing Route: Zurich-Aarau-Bern-Lausanne Exit: Bardonnex border crossing
Distance check	<ul style="list-style-type: none"> <li>Route cover transit trip A4</li> <li>Alternative route Lausanne-Bern (A12) is covered</li> <li>Destination/origin traffic Espace Mittelland, Central Switzerland and Lake Geneva region</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>One EETS journey on one day</li> </ul>
Vehicle configuration	40 tonnes, Euro 5, articulated lorry
Passage enforcement stations	Effretikon Süd (EFFS), Cham West (CHAW), St. Prex West (PREW)
Expected result	Distance: 419.31 km (+/- 4% = 402.54 km, ..., 436.08 km)

### Trial Operation Specification - Level 3

Test case ID	TF05
Detailed description test route	<p>If no instructions are given, the route is followed.</p> <ul style="list-style-type: none"> <li>• Entry into Switzerland from Germany on Bundesstrasse 34</li> <li>• Before border crossing take the right lane for goods transport into the customs plaza Thayngen</li> <li>• Drive by the customs office (47.741027, 8.718417), continue the same road (now J15)</li> <li>• Turn left onto the A4 towards Zürich at the next junction</li> <li>• At the next junction, turn right towards Zürich//Wülflingen (A4)</li> <li>• At the next junction, turn right towards Bern/Chur/Luzern/Flughafen/Nordring-Zürich (A1/A4/E41/E60)</li> <li>• At the next junction, turn left towards Bern/Chur/Luzern/Nordring-Zürich (A1/A4/E41/E60)</li> <li>• At the next junction, turn left towards Chur/Luzern/Westring-Zürich (A3)</li> <li>• At the next junction, turn right towards Gotthard//Luzern/Zug (E41/A4)</li> <li>• At the next junction, turn left towards Luzern/Gisikon-Root (A14)</li> <li>• At the next junction, turn left towards Gotthard/Interlaken/Luzern (E35/A2)</li> <li>• At the next junction, turn right towards Interlaken (A8)</li> <li>• During the course of the route, the A8 motorway becomes Route 4</li> <li>• Turn left at the next junction and then immediately right onto the A8 motorway towards Interlaken/Bern/Thun</li> <li>• At the next junction, turn left towards Bern/Thun/Spiez (A8)</li> <li>• During the course of the route, the A8 motorway becomes Route 4 and then the A8 again</li> <li>• At the next junction, go straight towards Bern/Thun/Spiez (A8)</li> <li>• During the course of the route, the A8 motorway becomes Route 6 and 11</li> <li>• Turn left onto the A8 towards Bern/Thun/Spiez/Kandersteg at the next junction</li> <li>• At the next junction, turn left towards Bern/Thun-Süd (A6)</li> <li>• At the next junction, take the second lane from the right towards Fribourg/Lausanne/Bern-Neufeld (E25/E27/A1)</li> <li>• At the next junction, turn right towards Vevey/Fribourg/Bern-Bümpliz (E27/A12)</li> <li>• At the next junction, turn right towards Genève/Lausanne (E62/A9)</li> <li>• At the next junction, turn right towards Genève/Lausanne-Sud (E25/E62/A1)</li> <li>• At the next junction, turn right towards Genève (E25/E62/A1)</li> <li>• At the next junction, turn right towards France/Genève-la Praille/Aéroport/Gd-Saconnex (E25/E)</li> <li>• Before border crossing turn right and inside the customs plaza drive by the Bardonnex customs office (46.150569, 6.095887)</li> <li>• Exit Switzerland via the Bardonnex border crossing</li> </ul>
Comments	None



### 5.7 TF06 – North/south axis A2/A4 two-day trip


Test case ID	TF06
Description	EETS journey north/south axis A2/A4 with two days of driving in Switzerland
Test route	Entry: Chiasso Brodega Merci border crossing/customs office (45.837491, 9.036350) Route: Lugano-Gotthard-Schwyz-Zurich Exit: Thayngen border crossing/customs office (47.740425, 8.718055)
Distance check	<ul style="list-style-type: none"> <li>Route cover transit trip A2</li> <li>Route with heavy foreign vehicle traffic</li> <li>Destination/origin traffic Ticino and Central Switzerland</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>An EETS journey with two days of driving in Switzerland</li> </ul>
Vehicle configuration	40 tonnes, Euro 5, articulated lorry
Passage enforcement stations	Bellinzona Nord (BESN), St. Gotthard Nord (GOTN), Cham Ost (CHAO), Effretikon Nord (EFFN)
Expected result	Distance: 299.34 km (+/- 4% = 287.37 km,..., 311.31 km)
Detailed description test route	If no instructions are given, the route is followed. <ul style="list-style-type: none"> <li>Entry into Switzerland from Italy on the A9 (E35) motorway</li> </ul>

### Trial Operation Specification - Level 3

Test case ID	TF06
	<ul style="list-style-type: none"> <li>• After the Chiasso Brodega Merci border crossing/customs office, take the A2</li> <li>• At the next junction, turn left towards Basel/Zürich/Luzern/San Gottardo (A2)</li> <li>• Shortly before the entrance to the Gotthard tunnel, take the exit "Airolo/Nufenen/Bedretto" and park at the stopping area "Parkplatz Airolo" (46.523923, 8.603628).</li> <li>• To continue on the following day, take the entrance to the A2 motorway towards Zürich/Luzern/San Gottardo</li> <li>• At the next junction, turn right towards Zürich/Schwyz/Altdorf (E41/A4)</li> <li>• At the roundabout, take the second exit onto the A4/E41</li> <li>• At the next junction, turn left towards Zürich am Albis (E41/A4)</li> <li>• At the next junction, turn left towards Bern/Basel/St. Gallen/Westring-Zürich (E41/A3/A4)</li> <li>• At the next junction, turn right towards St. Gallen/Flughafen/Nordring-Zürich/Zürich City (E60/A1)</li> <li>• At the next junction, turn left towards St. Gallen/Schaffhausen (E41/E60/A1/A4)</li> <li>• At the next junction, turn right towards Schaffhausen/Henggart (E41/A4)</li> <li>• At the next junction, turn left towards Stuttgart/Singen/Thayngen/SH-Herblingen (E41/E54)</li> <li>• Exit Switzerland via the Thayngen border crossing/customs office</li> </ul>
Comments	<p>The stopping area "Parkplatz Airolo" [46.523923, 8.603628] is used only for switching the EETS OBU on and off. It is assumed that drivers will then drive to a hotel with an appropriate parking space. After the overnight stay, the EETS journey must be continued from the same stopping area.</p> <p>"Parplatz Airolo" is located directly beside the exit with the sign "Airolo/Nufenen/Bedretto" and has 500 free parking spaces (cars). (<a href="http://airolo.ch/de/seilbahnen/winter/services/parkplaetze.html">http://airolo.ch/de/seilbahnen/winter/services/parkplaetze.html</a>)</p>

### Trial Operation Specification - Level 3

TF06 - test route:



TF06 - stopping area:






**5.8 TF07 – West/south axis A9 (journey with different vehicle parameters)**

Test case ID	TF07
Description	West/south axis A9, journey with different vehicle parameters for parts of the trip. At the stopping area ("Le Chablais Ouest" services), a trailer (not previously present/declared) is declared on the EETS OBE.
Test route Entry: Route: Exit:	Vallorbe-Route border crossing Lausanne-Montreux-Yvorne (stopping area)-Simplon Gondo border crossing
Distance check	<ul style="list-style-type: none"> <li>• Route cover transit trip A9</li> <li>• GPS reception Valais</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>• One EETS journey on one day</li> <li>• One EETS journey with different vehicle parameters</li> </ul>
Vehicle configuration	Before stopping area: <ul style="list-style-type: none"> <li>• 8 tonnes, Euro 5, articulated lorry, tractor only</li> </ul> After stopping area: <ul style="list-style-type: none"> <li>• 40 tonnes, Euro 5, articulated lorry including semi-trailer</li> </ul>
Passage enforcement stations	Bex Sud (BEXS) (after stopping area), Simplon Süd (SIMS)
Expected result	Entry to stopping area: 80.08 km (+/- 4% = 76.88 km, ..., 83.28 km) Stopping area to exit: 146.78 km (+/- 4% = 140.91 km, ..., 152.65 km) Total distance: 226.86 km (+/- 4% = 207.79 km, ..., 235.93 km)
Detailed description test route	If no instructions are given, the route is followed. <ul style="list-style-type: none"> <li>• Entry into Switzerland from France on Route nationale N57</li> <li>• Before border crossing turn left into the customs plaza Vallorbe-Route</li> <li>• After border crossing inside the customs plaza drive by the customs office (46.731401, 6.385742), continue on the same road (now E23)</li> <li>• At the roundabout, take the second exit towards Orbe/Lausanne/Yverdon (E23/A9)</li> <li>• At the next junction, turn right towards Simplon/Gd-St-Bernard/Lausanne (E23/E25/A1/A9)</li> <li>• At the next junction, turn right towards Simplon/Gd-St-Bernard/Lausanne-Nord/Vevey Montreux (E62/A9)</li> <li>• When you come to "Le Chablais Ouest" services (46.337380, 6.931143), enter, park, change the rate (declare trailer) and continue your journey</li> <li>• During the course of the route, the A9 motorway becomes Route 9</li> <li>• Continue on Route 9</li> <li>• At the roundabout, take the slip road to the A9 towards Simplon/Brig</li> <li>• At the next junction, turn right towards Milano/Domodossola/Simplon (E62/A9)</li> <li>• During the course of the route, the A9 motorway becomes Route 9 – continue on it</li> </ul>

### Trial Operation Specification - Level 3


	<ul style="list-style-type: none"><li>• Pass the Gondo customs office (46.196170, 8.141587) and exit Switzerland via the Gondo border crossing</li></ul>
Comments	The stopping area ("Le Chablais Ouest" services [46.337380, 6.931143]) is used to register the trailer declaration. The trailer declaration is not registered for the first part of the route. After the stopping area, the trailer declaration is registered according to the trailer declaration type (simple or weight declaration).

TF07 - test route:



### Trial Operation Specification - Level 3

TF07 - stopping area:



### 5.9 TF08 – A5 EETS journey with a three-day stay


Test trip ID	TF08
Description	An EETS journey with a three-day stay in Switzerland, whereby no driving is allowed on day two.
Test route	Round trip: Entry: Vallorbe-Route border crossing Route: Neuchâtel-Biel (stopping area)-Neuchâtel Exit: Vallorbe-Route border crossing
Distance check	<ul style="list-style-type: none"> <li>Route cover A5</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>Testing of the correct transmission of the EETS journey declaration with multiple data items, whereby there is no journey shown for day two</li> </ul>
Vehicle configuration	40 tonnes, Euro 5, articulated lorry
Passage enforcement stations	Épendes Ost (EPEO)
Expected result	Distance: 183.17 km (+/- 4% = 175.84 km,..., 190.49 km)
Detailed description test route	<p>Outward trip</p> <ul style="list-style-type: none"> <li>Entry into Switzerland from France on Route nationale N57</li> <li>Before border crossing turn left into the customs plaza Vallorbe-Route</li> <li>After border crossing inside the customs plaza drive by the customs office (46.731401, 6.385742), continue on the same road (now E23)</li> </ul>

**Trial Operation Specification - Level 3**


Test trip ID	TF08
	<ul style="list-style-type: none"> <li>• At the roundabout, take the second exit towards Orbe/Lausanne/Yverdon</li> <li>• At the next junction, turn left towards Bern/Fribourg/Neuchâtel/Yverdon (A1)</li> <li>• At the next junction, turn right towards Neuchâtel//Yverdon-Ouest/Ste-Croix (A5)</li> <li>• During the course of the route, the A5 motorway becomes Route 5 – continue on it</li> <li>• At the roundabout (in Biel), take the second exit and stay on Route 5 (Seevorstadt)</li> <li>• At the earliest opportunity, turn right to the public parking spaces at Seefelsweg (47.135317, 7.235556) in Biel</li> </ul> <p>Return trip</p> <ul style="list-style-type: none"> <li>• The return trip starts at the specified stopping area (public parking spaces at Seefelsweg (47.135317, 7.235556) in Biel)</li> <li>• When joining Route 5, drive on the left towards Neuchâtel</li> <li>• At the roundabout, take the first exit towards Neuchâtel (Route 5)</li> <li>• At the next junction, turn left towards Lausanne/Neuchâtel/Le Landeron (A5)</li> <li>• At the next junction, turn right towards Besançon/Lausanne/Vallorbe (A1)</li> <li>• At the next junction, turn right towards Besançon/Vallorbe/Orbe (A9)</li> <li>• During the course of the route, the A9 motorway becomes E23 – continue on it</li> <li>• At the roundabout, take the first exit towards Dijon/Besançon/Pontarlier</li> <li>• turn right into the customs plaza Vallorbe-Route and drive by the customs office (46.731301, 6.385957)</li> <li>• After border crossing inside the customs plaza exit Switzerland to France on Route nationale N57</li> </ul>
Comments	<p>The stopping area is at the public parking spaces at Seefelsweg (47.135317, 7.235556) in Biel. The stopping area is used only for switching the EETS OBU on and off. It is assumed that drivers will then drive to a hotel with an appropriate parking space. After the overnight stays, the EETS journey must be continued from the same stopping area.</p>

### Trial Operation Specification - Level 3

TF08 - test route:



TF08 - stopping area:



### 5.10 TF09 – Several EETS journeys per day with the same vehicle/EETS OBE

Test case ID	TF09	
Description	Several EETS journeys per day with the same vehicle/EETS OBE	
Test route 1	Entry: Route: Exit:	Bargen border crossing Büsingen am Hochrhein (Enklaven)-Neunkirch Trasadingen border crossing
Test route 2	Entry: Route:	Koblenz border crossing/customs office (47.608146, 8.233990) Bad Zurzach-Glattfelden


### Trial Operation Specification - Level 3

Test case ID	TF09
Exit:	Rafz-Solgen border crossing/customs office (47.614313, 8.571833)
Test route 3 Entry: Route: Exit:	Neuhausen am Rheinfall border crossing Neuhausen am Rheinfall-Schaffhausen Süd (A4) Bargen border crossing
Distance check	<ul style="list-style-type: none"> <li>Short EETS journeys</li> </ul>
Operating scenario check	<ul style="list-style-type: none"> <li>Testing of the correct transmission of each of the three individual EETS journey declarations</li> <li>Testing of the correct transmission in the case of the route through enclaves-Büsingen am Hochrhein</li> <li>Testing of the correct transmission in the case of the route in the immediate vicinity of a foreign country</li> </ul>
Vehicle configuration	40 tonnes, Euro 5, articulated lorry
Passage enforcement stations	None
Expected result test route 1	Distance: 40.30 km (+/- 4% = 38.69 km,..., 41.91 km)
Expected result test route 2	Distance: 36.56 km (+/- 4% = 35.10 km,..., 38.02 km)
Expected result test route 3	Distance: 21.20 km (+/- 4% = 20.35 km,..., 22.05 km)
Detailed description test route 1	<p>If no instructions are given, the route is followed.</p> <ul style="list-style-type: none"> <li>Entry into Switzerland from Germany on Bundesstrasse 27</li> <li>After the border crossing and Bargen customs office with beacon location (47.794844, 8.586540), continue on the same road (A4)</li> <li>At the next junction, turn right towards Singen/SH-Herblingen (E41/E54)</li> <li>Leave the motorway at the SH-Herblingen exit towards SH-Herblingen/Stetten/Dörflingen</li> <li>At the next junction, turn right onto Gennersbrunnerstrasse</li> <li>Veer right at the next junction and follow the signs for Büsingen</li> <li>At the T junction, turn right onto Junkerstrasse</li> <li>At the T junction, turn left onto Fischerhäuserstrasse</li> <li>Drive straight – the street becomes Route 14</li> <li>Drive through the Galgenbuck tunnel</li> <li>At the roundabout, take the first exit and stay on Route 14</li> <li>At the roundabout, take the second exit towards Basel/Waldshut-T./Trasadingen/Neunkirch/Hallau (Route 13)</li> <li>At the roundabout, take the second exit and stay on Route 13</li> <li>Exit Switzerland via the Trasadingen customs office with beacon location (47.662287, 8.432222) and border crossing</li> </ul>
Detailed description test route 2	<p>If no instructions are given, the route is followed.</p> <ul style="list-style-type: none"> <li>Entry into Switzerland from Germany on Rheinbrückenstrasse</li> <li>After the Koblenz border crossing/customs office, turn right onto Bahnhofstrasse</li> <li>At the roundabout, take the third exit and stay on Bahnhofstrasse</li> <li>At the roundabout, take the third exit towards Schaffhausen/Eglisau (Route 4)</li> <li>Exit Switzerland via the Rafz-Solgen border crossing/customs office</li> </ul>

### Trial Operation Specification - Level 3

Test case ID	TF09
Detailed description test route 3	<p>If no instructions are given, the route is followed.</p> <ul style="list-style-type: none"> <li>• Entry into Switzerland from Germany on Bundesstrasse 27</li> <li>• After the border crossing and Neuhausen am Rheinfall (Jestetten) customs office with beacon location (47.669566, 8.595905), take Route 4</li> <li>• At the next junction, turn right towards Schaffhausen (Route 14)</li> <li>• At the next junction, turn left towards Konstanz/Winterthur/Schaffhausen (Route 14)</li> <li>• Continue until you reach the motorway slip road towards Stuttgart/Singen (A4)</li> <li>• At the next junction, turn right towards Donaueschingen/Bargen (A4)</li> <li>• Exit Switzerland via the Bargen customs office with beacon location (47.794442, 8.589144) and border crossing</li> </ul>
Comments	<p>Border customs offices that generally have rather less traffic have been chosen. The start and finish of this test trip can be combined with other test trips.</p> <p>The test routes sometimes follow the German border. This is the case between Koblenz and Schaffhausen (test route 2), as well as on the A4 above Schaffhausen (test routes 1 and 3).</p>

### TF09 - test route 1



### Trial Operation Specification - Level 3

TF09 - test route 2





### Trial Operation Specification - Level 3

TF09 - test route 3

